



Some Considerations on Protocol Analysis and Debugging




Protocol Analysis and Debugging

- ▶ Figuring out why your protocol does not work
- ▶ Finding out why it does not interwork with someone else
- ▶ Understanding what your implementation actually does
 - What does it send?
 - How does it react when it receives what?
- ▶ We focus on the functional aspect for now
- ▶ Numerous tools available
 - Support for many standardized protocols
 - Understanding what is going on between third party implementations
 - Understanding whether your protocols sends the right things
- ▶ Many tools support performance analysis



Simple Setup: fip



Note: fip is just an example



a) In your application

- ▶ Of course, there are gdb, profilers, ...
- ▶ Make extensive use of logging
 - Problems may be hard or unpredictable to reproduce
 - Need to live with what you got
 - Use meaningful information, consistent spelling/terminology (for grep(1))
 - Possibly format lines for later processing
 - Include timestamps, sources, destinations
 - You will figure out what you have missed
 - Format for easy subsequent processing (field separators, etc.)
 - May also be helpful for later performance measurements
 - Use command line switches (or config files) to control (the amount of) logging
 - Recompilations without logging (“#ifdef”) may make errors disappear
- ▶ Log close to transmission and reception
 - Timestamps are more accurate
 - You cannot have accidentally messed with the buffer



a) In your application (2)

▶ Hexdumps are useful

- Gets around internal conversion and interpretation
 - Did you receive the wrong thing or did you interpret it incorrectly

IPv4 UDP UPnP Packet

```
00000380: 4500 00a1 7b90 0000 0111 788b 83f6 5140  E...{.....x...Q@
00000390: efff fffa 0d20 076c 008d 7f2d 4d2d 5345  ..... .l...-M-SE
000003a0: 4152 4348 202a 2048 5454 502f 312e 310d  ARCH * HTTP/1.1.
000003b0: 0a48 6f73 743a 3233 392e 3235 352e 3235  .Host:239.255.25
000003c0: 352e 3235 303a 3139 3030 0d0a 5354 3a75  5.250:1900..ST:u
000003d0: 726e 3a73 6368 656d 6173 2d75 706e 702d  rn:schemas-upnp-
000003e0: 6f72 673a 6465 7669 6365 3a49 6e74 6572  org:device:Inter
000003f0: 6e65 7447 6174 6577 6179 4465 7669 6365  netGatewayDevice
00000400: 3a31 0d0a 4d61 6e3a 2273 7364 703a 6469  :1..Man:"ssdp:di
00000410: 7363 6f76 6572 220d 0a4d 583a 330d 0a0d  scover"..MX:3...
00000420: 0add 9224 420f 3e06 008b 0000 008b 0000  ...$B.>.....
00000430: 0001 005e 7fff fa00 0e35 428a 4d08 00    ...^.....5B.M..
```



b) Local link interface

- ▶ Tools for tapping into the packets exchanged on a link
- ▶ Tcpcdump (www.tcpdump.org)
 - Highly configurable command line tool
 - Capture packets seen by the link interface
 - Builds upon packet capturing library (libpcap)
 - Link interface in promiscuous mode: captures all packet on the wire)
 - Otherwise: only packets anyway received by the node
 - Allows for filtering
 - Stores complete capture, selected packets, or prints summary
 - Allows analysis down to the link layer headers
 - Prerequisite: root access to the system in question
 - Does not work for host local traffic!
 - Numerous tools exist for post-processing



b) Local link interface

- ▶ **Ethereal (now called Wireshark)**
 - www.ethereal.com, www.wireshark.org
 - tcpdump with graphical user interface and built-in analysis tools
 - Broad spectrum of support:
 - Following individual (TCP) connections (including performance analysis)
 - Analyzing message contents (including protocol decoding)

- ▶ **Obviously does not work if you use security**
 - VPN tunnels (IPsec), TLS connections
 - In those cases, you can only analyze their setup



c) Link interface (3rd party monitoring)

- ▶ Ethernet: works only with hubs
 - Switches need to be configured to perform snooping on the certain port
- ▶ WLAN: promiscuous mode often not supported
 - At least in Windows drivers
 - Does not work with WPA and peerwise negotiated keys
 - AirPcap for wireshark


- ▶ Does not work with security (see b)

- ▶ In all cases: Respect the privacy of others



d) Local monitoring (1)


- ▶ (Without root permissions)
- ▶ UDP: use multicast and write a small protocol monitor
 - Both sides send multicast packets
 - May use the same multicast addresses
 - May need to filter out own ones
 - May use different multicast addresses





d) Local monitoring (2)

- ▶ UDP/TCP: build and use a bridge module
 - Forward received data
 - Log the data in arbitrary formats
 - Interpret the protocol as necessary



- ▶ strace/trace/truss
 - Monitor system calls executed by the application
 - Essentially works just for simple ones
- ▶ Further support may be available from your development tools



d) Local monitoring (3)

- ▶ With root permissions and lots of energy :-)
use/create monitoring inside the kernel



Wireless Networks

- ▶ Just for completeness: finding WLANs
 - For configuration purposes or for debugging performance
 - Who is around? And on which channels?

- ▶ Network stumbler (www.stumbler.net)
- ▶ Kismet (www.kismetwireless.net)

- ▶ Sometimes, it is also worthwhile look at the spectrum
 - Microwave ovens, other noise
 - Need specific piece of sensing hardware